

Message

From: Keigwin, Richard [Keigwin.Richard@epa.gov]
Sent: 3/18/2018 12:25:27 PM
To: Bertrand, Charlotte [Bertrand.Charlotte@epa.gov]; Beck, Nancy [Beck.Nancy@epa.gov]; Wise, Louise [Wise.Louise@epa.gov]
CC: Keller, Kaitlin [keller.kaitlin@epa.gov]; Dinkins, Darlene [Dinkins.Darlene@epa.gov]; Layne, Arnold [Layne.Arnold@epa.gov]; McNally, Robert [McNally.Robert@epa.gov]
Subject: Update on Science Screen of Oxitec Mosquito EUP
Attachments: 1 pager for oxitec screen results 031518.pdf; DRAFT Oxitec 10-day letter - 3-15-18.docx; Kato et al. 2016.pdf

Deliberative and Internal
Do Not Release

Ex. 5 - Deliberative Process

Key Deficiencies Identified in Screen

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process

Ex. 5 Deliberative Process (DP)

Attached is a one-pager that goes into more detail on the results of the science screen, a draft of the 10-day deficiency letter that we would send to the registrant, and a copy of the article referenced above regarding the potential allergenicity of DsRed2.